

Vault Setup

Connecting Vault

Currently performed by a Finmars employee at the client's request.

Initializing Vault

Prerequisites

- A created database with an activated license

Actions

1. Go to `Settings -> Vault`
2. Activate Vault and save the secret keys.
Do not lose these keys, as they cannot be recovered. If the keys are lost, the data saved in the Vault will be lost.
3. Inform the Finmars employee of the Vault token

Unseal Vault

Prerequisites

- A created database with an activated license
- Vault initialized

Actions

1. Go to `Settings -> Vault`
2. Click the Unseal Vault button
3. Enter the three keys one by one

Adding Access to Proxy Server

Prerequisites

- A created database with an activated license
- Vault initialized
- Vault unsealed
- Proxy Server deployed

Actions

1. Go to `Settings -> Vault`
2. Click the `Add Engine` button
3. Enter the name `finmars`
4. Click the `Add Secret` button
5. Add the following `json` content:

```
{
  "data_url": "{url_to_proxy_server}/md/3.0/",
  "trading_url": "{url_to_proxy_server}/trade/3.0/",
  "api_key": "foo",
  "secret_key": "bar"
}
```

- `data_url` - URL to the proxy server's information endpoint specifying the API version - example `https://demo-exante.finmars.com/demo/md/3.0/`
- `trading_url` - URL to the proxy server's trading endpoint (required for enriching transaction information with orders) specifying the API version - example `https://demo-exante.finmars.com/demo/trade/3.0/`
- `api_key`, `secret_key` - credentials for `basic auth` to the proxy server

7. Click the "Save" button

Revision #2

Created 18 July 2024 21:26:24 by Anton Petrushkaneki

Updated 18 July 2024 23:22:23 by Anton Petrushkaneki